

LVT TILES

KF-55

CLICK AND GLUEDOWN



AXPROCONCEPT



9654



9776




9659



68756



98282



977946



9778



9714




68755



9704



888014



68753



87125



68754



977911



9779



98101



9706



9678



AXPROCONCEPT

	KF 55 SPC Click	KF-55 Click	KF-55 Gluedown
Dimension [mm]:	Plank: 1220 x 180 x 5 + 1.0 IXPE Tile: 305 x 610 x 5 + 1.0 IXPE	Plank: 1220 x 180 x 5 Tile: 305 x 610 x 5	Plank: 1227 x 187 x 2,5 Tile: 304,8 x 609,6 x 2,5 Herringbone: 95 x 380 x 2.5
Wearlayer:	0,55 mm	0,55 mm	0,55 mm
Total height:	6 mm +/-10%	5 mm +/-10%	2,5 mm +/-10%
Weight:	10,4 kg/m ² +/-10%	9,8 kg/m ² +/-10%	4,5 kg/m ² +/-10%
Castor chair:	Pass	Pass	Pass
Dimensional stability:	≤ 0,10 %	≤ 0,12 %	≤ 0,15 %
Light Fastness:	≥ 6	≥ 6	≥ 6
Use class:	33	33	33
Slip resistance:	R9, class DS	R10, class DS	R10, class DS
Fire resistance:	Bfl-s1	Bfl-s1	Bfl-s1
Chemical resistance:	Resistant	Resistant	Resistant
Formaldehyde:	E1	E1	E1





3527




3595



3558



37552



38384



372813



3651



37556



38545



37281



38387



38548




3775




37289




37392




36138



37395



38595



385411



AXPROCONCEPT

	KF 55 SPC Click	KF-55 Click	KF-55 Gluedown
Dimension [mm]:	Plank: 1220 x 180 x 5 + 1.0 IXPE Tile: 305 x 610 x 5 + 1.0 IXPE	Plank: 1220 x 180 x 5 Tile: 305 x 610 x 5	Plank: 1227 x 187 x 2,5 Tile: 304,8 x 609,6 x 2,5 Herringbone: 95 x 380 x 2.5
Wearlayer:	0,55 mm	0,55 mm	0,55 mm
Total height:	6 mm +/-10%	5 mm +/-10%	2,5 mm +/-10%
Weight:	10,4 kg/m ² +/-10%	9,8 kg/m ² +/-10%	4,5 kg/m ² +/-10%
Castor chair:	Pass	Pass	Pass
Dimensional stability:	≤ 0,10 %	≤ 0,12 %	≤ 0,15 %
Light Fastness:	≥ 6	≥ 6	≥ 6
Use class:	33	33	33
Slip resistance:	R9, class DS	R10, class DS	R10, class DS
Fire resistance:	Bfl-s1	Bfl-s1	Bfl-s1
Chemical resistance:	Resistant	Resistant	Resistant
Formaldehyde:	E1	E1	E1





AXPROCONCEPT

AxPro Concept Sp. z o.o.
ul. 1 Maja 80, 58-500 Jelenia Góra, Poland
tel. +48 795 522 022
info@axproconcept.com
axproconcept.com