


# Metropoly Collection

Tufted printed carpets

Stock collection



KOWARY  
1854

AXPROCONCEPT

# METROPOLY

COLLECTION

## Index

Moscow .....	4-5
Lisbon.....	6-7
Rome.....	8-9
Paris.....	10-11
Tokyo.....	12-13
Berlin.....	14-15
Sydney .....	16-17
Technical Specifications / Technische daten.....	18



# METROPOLY COLLECTION

## Introduction

In the catalogue we are presenting our tufted printed carpet stock collection, inspired by the beauty of the world metropolises.

This choice ensures shortest delivery time and attractive price for low quantities.

We have developed 6 ageless and modern styles available in 8 colourations complemented with an extra uni-colour range in 16 colours.


Beside those designs we can prepare and produce individual designs and colours – wide ranges of bespoke program are presented in another catalogue.

Thanks to perfectly adjusted technical parameters, our modern production line and best quality materials we can guarantee highest possible durability.

All of the carpets are suitable for high traffic areas (wear class 33) and fulfil most demanding quality norms. Stock collection is available with standard Action Backing and special sound reducing Felt Backing.



# MOSCOW



MOSCOW 420 | ◀▶ 8X8 ⬥ CM



MOSCOW 525 | ▶▶ 8X8 ⬥ CM




MOSCOW 325 | ◀▶ 8X8 ⬥ CM



MOSCOW 229 | ◀▶ 8X8 ⬥ CM





MOSCOW 156 | ▶▶ 8X8 ⬥ CM





# LOW


## MOSCOW



MOSCOW 235 | ◀▶ 8X8 ⚡ CM



MOSCOW 230 | ◀▶ 8X8 ⚡ CM




MOSCOW 210 | ◀▶ 8X8 ⚡ CM





# LISBON



LISBON 200 | ◀▶ 32X32 ◄▶ CM



LISBON 210 | ◀▶ 32X32 ◄▶ CM




LISBON 230 | ◀▶ 32X32 ◄▶ CM









# LISBON



LISBON 229 | ◀▶ 32X32 ⬥ CM



LISBON 150 | ◀▶ 32X32 ⬥ CM



LISBON 235 | ◀▶ 32X32 ⬥ CM



LISBON 250 | ◀▶ 32X32 ⬥ CM



LISBON 420 | ◀▶ 32X32 ⬥ CM



# ROME



ROME 525 | ◀▶ 24,5X63,5 ⚡ CM



ROME 420 | ◀▶ 24,5X63,5 ⚡ CM



ROME 422 | ◀▶ 24,5X63,5 ⚡ CM




ROME 425 | ◀▶ 24,5X63,5 ⚡ CM






# ROME



ROME 230 | ◀▶ 24,5X63,5 ⚡ CM



ROME 210 | ◀▶ 24,5X63,5 ⚡ CM



ROME 235 | ◀▶ 24,5X63,5 ⚡ CM



ROME 325 | ◀▶ 24,5X63,5 ⚡ CM






# PARIS

# Paris



PARIS 235 | ◀▶ 21,5 X 1 ▶◀ CM



PARIS 230 | ◀▶ 21,5 X 1 ▶◀ CM






# PARIS




PARIS 156 | ◀▶ 21,5X1 ⚡ CM



PARIS 165 | ◀▶ 21,5X1 ⚡ CM



PARIS 130 | ◀▶ 21,5X1 ⚡ CM




PARIS 160 | ◀▶ 21,5X1 ⚡ CM



PARIS 420 | ◀▶ 21,5X1 ⚡ CM




PARIS 525 | ◀▶ 21,5X1 ⚡ CM






# TOKYO



TOKYO 320 | ◀▶ 24X24 ◀▶ CM



TOKYO 230 | ◀▶ 24X24 ◀▶ CM



TOKYO 210 | ◀▶ 24X24 ◀▶ CM





# TOKYO

TOKYO 325 | ◀▶24X24 ◆ CM

TOKYO 156 | ◀▶24X24 ◆ CM

TOKYO 520 | ◀▶24X24 ◆ CM

TOKYO 525 | ◀▶24X24 ◆ CM

TOKYO 420 | ◀▶24X24 ◆ CM






# BERLIN



BERLIN 420 | ◀▶ 96X96 ◆ CM



BERLIN 325 | ◀▶ 96X96 ◆ CM



BERLIN 520 | ◀▶ 96X96 ◆ CM




BERLIN 310 | ◀▶ 96X96 ◆ CM






# BERLIN



BERLIN 235 | ◀▶ 96X96 ⚡ CM




BERLIN 230 | ◀▶ 96X96 ⚡ CM



BERLIN 130 | ◀▶ 96X96 ⚡ CM




BERLIN 150 | ◀▶ 96X96 ⚡ CM







# SYDNEY



SYDNEY 420 | ◀▶1X1 ⚡ CM



SYDNEY 260 | ◀▶1X1 ⚡ CM



SYDNEY 425 | ◀▶1X1 ⚡ CM





SYDNEY 230 | ◀▶1X1 ⚡ CM

SYDNEY 215 | ◀▶1X1 ⚡ CM





# QV

## SYDNEY




SYDNEY 525 | ◀▶1X1 ⚡ CM




SYDNEY 327 | ◀▶1X1 ⚡ CM

SYDNEY 301 | ◀▶1X1 ⚡ CM



SYDNEY 160 | ◀▶1X1 ⚡ CM


SYDNEY 305 | ◀▶1X1 ⚡ CM



SYDNEY 240 | ◀▶1X1 ⚡ CM

SYDNEY 180 | ◀▶1X1 ⚡ CM

SYDNEY 120 | ◀▶1X1 ⚡ CM



SYDNEY 155 | ◀▶1X1 ⚡ CM

SYDNEY 101 | ◀▶1X1 ⚡ CM

SYDNEY 190 | ◀▶1X1 ⚡ CM



## Technical Specifications / Technische Daten


PRODUCTION METHOD	HERSTELLUNGSVERFAHREN	1/10" CUT PILE
PILE MATERIAL	POLMATERIAL	100% PA
CLASS	KLASSIFIZIERUNG	33
WIDTH	LIEFERBREITE	400 CM
CARRIER	TRÄGERMATERIAL	NON WOVEN
EFFECTIVE PILE HEIGHT	POLHÖHE	CA. 6,5 MM
TOTAL THICKNESS	GESAMTDICKE	CA. 8,5 (AB) MM / CA. 10 MM (SB)
PILE WEIGHT	POLGEWICHT	CA. 1000 GR/M <sup>2</sup>
TOTAL WEIGHT	GESAMTGEWICHT	1970 (AB) GR/M <sup>2</sup> / 2420 (SB) GR/M <sup>2</sup>
NUMBER OF TUFTS	NOPPENZAHL	177.089 1/M <sup>2</sup>
REACTION TO FIRE	BRENNVERHALTEN	CflS1 1658-CPR-3074
BACKING	RÜCKENAUSSTATTUNG	AB / FELT BACKING*
SOUND ABSORPTION $\alpha_5$	SCHALLABSORPTIONSGRAD $\alpha_5$	0,20 (AB) / 0,35 (SB)
COLOUR FASTNESS TO LIGHT	FARBENSTÄRKIGKEIT FÜR LICHTTECHTHEIT	5-7
COLOUR FASTNESS TO RUBBING	FARBENSTÄRKIGKEIT FÜR REIBECHTHEIT	4-5
REPEAT	RAPPORT	MOSCOW ◀▶ 8 x 8 ◆ CM
REPEAT	RAPPORT	LISBON ◀▶ 32 x 32 ◆ CM
REPEAT	RAPPORT	ROME ◀▶ 24,5 x 63,5 ◆ CM
REPEAT	RAPPORT	PARIS ◀▶ 21,5 x 1 ◆ CM
REPEAT	RAPPORT	TOKYO ◀▶ 24 x 24 ◆ CM
REPEAT	RAPPORT	BERLIN ◀▶ 96 x 96 ◆ CM
REPEAT	RAPPORT	SYDNEY ◀▶ 1 x 1 ◆ CM






# Sound Absorption

$\alpha_s$







# AXPROCONCEPT

AxPro Concept Sp. z o.o.  
ul. 1 Maja 80 58-500 Jelenia Góra  
+48 795 522 022  
[info@axproconcept.com](mailto:info@axproconcept.com)  
[axproconcept.com](http://axproconcept.com)